

Safety Data Sheet

Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	PROSALL MAGNA DUST CLOTH & DUST MOP TREATMENT 7-7838-2
<u>Other means of identification</u> Product code Synonyms	FG 433-1111-7 Dusting aid
Recommended use of the chemical	and restrictions on use
Recommended Use	Treatment for dust mops and cleaning towels.
Uses advised against	Do not spray directly on surfaces
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
ProsALL Products a Division of Chase	e Chase Products Co.
Products Co.	2727 Gardner Road
P.O. Box 7502	Broadview, IL 60155
Westchester, IL 60154	708-273-1121
Emergency Telephone Number Company Phone Number	708-865-1000

ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Emergency telephone

24 Hour Emergency Phone Number 1-800-255-3924

Acute toxicity - Inhalation (Gases)	Category 4
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning		
hazard statements HARMFUL IF INHALED Flammable Aerosol Contains gas under pressure; may explode	if heated	
Appearance White liquid that will be aerosolized	Physical State Aerosol	Odor Lemon

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

3. Composition/information on Ingredients

Common Name Synonyms Chemical Family Formula Chemical nature Treatment for dust mops and cleaning towels. Dusting aid. MIXTURES. 7-7838-2 Oils and water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	65-70	*
Hydrotreated Heavy Naphthenic Oil	64742-52-5	10-15	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
N-Butane	106-97-8	5-10	*
Propane	74-98-6	1-5	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES	
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash skin with soap and water.
Inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
Ingestion	Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates. Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Contains petroleum distillates, do not induce vomiting because of aspiration neumonia hazard.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is an aerosol product for which Flame Projection is less than 18 inches, without flashback. Temperatures above 120 F may cause cans to burst.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion dataSensitivity to Mechanical ImpactContents under pressure, keep away from heat and open flame.Sensitivity to Static DischargeKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Use with adequate general or local exhaust ventilation.	
For emergency responders	Remove all sources of ignition.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	nent and cleaning up_	
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
7. Handling and Storage		
Precautions for safe handling		
Advice on safe handling	Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Store in a cool, dry place away from heat and open flame. Keep out of reach of children. AEROSOL STORAGE LEVEL I (NFPA-30B).	

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-

Appropriate engineering controls

Engineering controls	Use with adequate general or local exhaust ventilation.	
Individual protection measures, such as personal protective equipment		
Eye/face Protection	Conventional eyeglasses to guard against splashing.	
Skin and Body Protection	Household type gloves, if desired.	
Respiratory protection	None required if used in a well-ventilated area .	
General hygiene considerations	Wash hands thoroughly after handling.	

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol White liquid that will be aerosolized White	Odor Odor threshold	Lemon No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	Values 10.12 +/-0.425 Not applicable Water 212 °F/100 °C Not Available. This is an aerosol product for which Flame Projection is 18 inches, without flashback.	Remarks • Method Water-oil emulsion. No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit	Temperatures above 130 °F may cause cans to burst. Faster than butyl acetate Not available Not available	No information available No information available No information available	
Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity	0.956 +/- 0.11 concentrate	No information available No information available No information available Soluble in water No information available No information available No information available No information available	

Dynamic viscosity
Explosive properties
Oxidizing properties

Other Information

Softening point Molecular weight VOC content (%) Density Bulk Density No information available No information available

No information available No information available 10.0% 7.96 to 8.88 lb/gal No information available

10. Stability and Reactivity

Reactivity Not applicable

Not applicable

Chemical stability Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information This product has not been tested as whole. See below for information on ingredients.

Inhalation	No data available.
Eye Contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
64742-47-8			
N-Butane	-	-	= 658 g/m³ (Rat)4 h
106-97-8			
Propane	-	-	= 658 mg/L (Rat)4 h
74-98-6			

Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Skin corrosion/irritation	None expected.
Serious eye damage/eye irritation	Can cause irritation after contact with the eyes.
corrosivity	Not applicable.
sensitization	No a skin sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	Not known chronic effects based on available information.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrotreated Heavy Naphthenic Oil 64742-52-5	A2	Group 1		Х

Reproductive toxicity STOT - single exposure	No information available. No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and
	nausea.

Numerical measures of toxicity - Product Information

Unknown acute toxicity - The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	19658 mg/kg
ATEmix (dermal)	12765 mg/kg
ATEmix (inhalation-gas)	3108 mg/l
ATEmix (inhalation-dust/mist)	10.8 mg/l
ATEmix (inhalation-vapor)	22.5 mg/l

12. Ecological Information

This product does not contain marine pollutants.

ecotoxicity

11.495% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Hydrotreated Heavy Naphthenic Oil 64742-52-5		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated light 64742-47-8		2.2: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods	
Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

14. Transport Information

DOT

UN/ID no	Limited Quantity
Proper Shipping Name	Consumer Commodity
Hazard Class	ORM-D
Marine pollutant	This product does not contain marine pollutants
Marine pollutant	This product does not contain marine pollutants.

15. F	Regu	latory	information
-------	------	--------	-------------

International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
N-Butane 106-97-8	X	X	Х
Propane 74-98-6	X	X	Х

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection

Issue date

18-Jan-2017

Revision note

This SDS supersedes a previous SDS dated June 01, 2015.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet